




# DRAWING NOT TO SCALE




DEUTSCH ASDD610-23PN (ITEM 1)  
WIRE ENTRY VIEW

SEE  
CONNECTOR A  
DETAIL FOR  
LABEL POSITION




SPEED SENSOR  
CONNECTOR

RLCAB129




B




C




D




E



G




H



F

NOTE:  
LEAD SHOULD BE INDIVIDUALLY PACKED IN APPROPRIATELY SIZED PLASTIC BAG TO PREVENT DAMAGE  
AND TANGLING DURING SHIPPING

DRAWING NUMBER	RLCAB129	DRAWN	R.ENGLISH	SHEET	1/6
DESCRIPTION	SPEED SENSOR WITH IMU - BRAKING CABLE				
REVISION					
ISS	DESCRIPTION	DATE	APPROVED	REDMINE	
4	CAN IDENTIS UPDATED	25/11/19	SH	14428	




- CRIMP SETTING ON DEUTSCH TOOL NEEDS TO BE SET TO SIZE AWG 26 WIRE
- TIGHTLY WRAP KAPTON TAPE AROUND WIRES TO HOLD SECURE AND PROTECT FROM HEAT.
- FIT CONTACTS IN ALL DEUTSCH CONNECTOR (ITEM 1) POSITIONS EVEN WHEN CONTACT IS NOT WIRED.
- DO NOT WRAP KAPTON OVER BACK OF CONNECTOR AS THIS WILL PREVENT BOOT FROM GRIPPING THE CONNECTOR, SEE PHOTO.
- ONCE CONNECTOR PINS ARE POPULATED, TEST CABLE BEFORE SHRINKING ADHESIVE LINED BOOT.
- POT CONNECTOR BOOT (ITEM 3) WITH POTTING COMPOUND ENSURING THAT NO POTTING COMPOUND RUNS DOWN THE OUTSIDE OF THE CONNECTOR BOOT (ITEM 3).



BILL OF MATERIALS


ITEM	QTY	SUPPLIER	PART NUMBER	DESCRIPTION
1	1	SERVO	ASDD610-23PN	DEUTSCH AUTOSPORT CONNECTOR
2	1	RS	436-2762	KAPTON TAPE
3	1	FARNELL	189-1547	ADHESIVE-LINED STRAIN BOOT
4	1	AVERY	J8658-25	25.4 x 10mm LABEL + CABLE IDENT
5	1	FARNELL	304-6539	HEATSHRINK CLEAR 6mm 3:1



BILL OF MATERIALS

ITEM	QTY	SUPPLIER	PART NUMBER	DESCRIPTION
1	1	TOBY	DSM-09-S	9 WAY D SOCKET
2	1	TOBY	MHDPPK-09-K	9 WAY D CONNECTOR HOOD
3	20mm	FARNELL	119-0781	HEATSHRINK
4	1.2m	FARNELL	119-0211	7-2-04A CABLE - 4 WIRES - 7/32 AWG 0.2mm
5	1	AVERY	J8658-25	25.4 x 10mm LABEL + CABLE IDENT
6	30mm	FARNELL	304-6539	HEATSHRINK CLEAR 6mm 3:1


DRAWING NUMBER	RLCAB129	DRAWN	R.ENGLISH	SHEET	2/6
DESCRIPTION	SPEED SENSOR WITH IMU - BRAKING CABLE				
REVISION					
ISS	DESCRIPTION	DATE	APPROVED	REDMINE	
4	CAN IDENTS UPDATED	25/11/19	SH	14428	



BILL OF MATERIALS


ITEM	QTY	SUPPLIER	PART NUMBER	DESCRIPTION
1	1	RS	641-8025	4mm PLUG - RED
2	1	RS	641-8019	4mm PLUG - BLACK
3	1.2m	RS	359-683	RED CABLE
4	1.2m	RS	359-677	BLACK CABLE
5	2	AVERY	J8658-25	25.4 x 10mm LABEL + CABLE IDENT
6	2 x 30mm	FARNELL	304-6539	HEATSHRINK CLEAR 6mm 3:1

CONNECTOR E




BILL OF MATERIALS

ITEM	QTY	SUPPLIER	PART NUMBER	DESCRIPTION
1	1	LEMO	PHG.0B.303.CLLD52Z	LEMO 3-WAY CABLE-MOUNT SOCKET
2	A/R	FARNELL	119-1021	HEATSHRINK 1.5/0.5
3	10mm	FARNELL	100-8431	HEATSHRINK 2:1 BK 4.8mm
4	1	LEMO	GMA.0B.035.DN	LEMO STRAIN RELIEF BLACK
5	0.3m	FARNELL	119-0211	7-2-04A CABLE - 4 WIRES - 7/32 AWG 0.2mm
6	1	AVERY	J8658-25	25.4 x 10mm LABEL + CABLE IDENT
7	30mm	FARNELL	304-6539	HEATSHRINK CLEAR 6mm 3:1



PIN	FUNCTION	COLOUR
SHELL	DIG IN GND	BLUE
3	DIG IN	GREEN

DRAWING NUMBER	RLCAB129	DRAWN	R.ENGLISH	SHEET	3/6
DESCRIPTION	SPEED SENSOR WITH IMU - BRAKING CABLE				
REVISION					
ISS	DESCRIPTION	DATE	APPROVED	REDMINE	
4	CAN IDENTs UPDATED	25/11/19	SH	14428	




DSM-09 S  
WIRE ENTRY VIEW

BILL OF MATERIALS

ITEM	QTY	SUPPLIER	PART NUMBER	DESCRIPTION
1	1	TOBY	DSM-09-S	9 WAY D SOCKET
2	1	TOBY	MHDPPK-09-K	9 WAY D CONNECTOR HOOD
3	20mm	FARNELL	119-0781	HEATSHRINK
4	1.2m	FARNELL	119-0211	7-2-04A CABLE - 4 WIRES - 7/32 AWG 0.2mm
5	1	AVERY	J8658-25	25.4 x 10mm LABEL + CABLE IDENT
6	30mm	FARNELL	304-6539	HEATSHRINK CLEAR 6mm 3:1

CONNECTOR G



WIRE ENTRY  
PHG.0B.305.CLLD52Z



BILL OF MATERIALS

ITEM	QTY	SUPPLIER	PART NUMBER	DESCRIPTION
1	1	LEMO	PHG.0B.305.CLLD52Z	LEMO 5-WAY CABLE-MOUNT SOCKET
2	A/R	FARNELL	119-1021	HEATSHRINK 1.5/0.5
3	10mm	FARNELL	100-8431	HEATSHRINK 2:1 BK 4.8mm
4	1	LEMO	GMA.0B.035.DA	LEMO STRAIN RELIEF BLUE
5	0.3m	FARNELL	119-0211	7-2-04A CABLE - 4 WIRES - 7/32 AWG 0.2mm
6	1	AVERY	J8658-25	25.4 x 10mm LABEL + CABLE IDENT
7	30mm	FARNELL	304-6539	HEATSHRINK CLEAR 6mm 3:1

PIN	FUNCTION	COLOUR
3	CAN H	YELLOW
4	CAN L	BLUE
5	POWER OUT	RED
SHELL	POWER GND	GREEN

DRAWING NUMBER	RLCAB129	DRAWN	R.ENGLISH	SHEET	4/6
DESCRIPTION	SPEED SENSOR WITH IMU - BRAKING CABLE				
REVISION					
ISS	DESCRIPTION	DATE	APPROVED	REDMINE	
4	CAN IDENTS UPDATED	25/11/19	SH	14428	

CONNECTOR H



WIRE ENTRY VIEW  
PHA.0B.306.CLLD52Z

BILL OF MATERIALS

ITEM	QTY	SUPPLIER	PART NUMBER	DESCRIPTION
1	1	LEMO	PHA.0B.306.CLLD52Z	LEMO 6-WAY CABLE-MOUNT SKT - A-KEYWAY
2	A/R	FARNELL	119-1021	HEATSHRINK 1.5/0.5
3	10mm	FARNELL	100-8431	HEATSHRINK 2:1 BK 4.8mm
4	1	LEMO	GMA.0B.040.DN	LEMO STRAIN RELIEF BLACK
5	0.3m	RS	660-4049	CABLE- 6 CORE UN-SCREENED
6	1	AVERY	J8658-25	25.4 x 10mm LABEL + CABLE IDENT
7	30mm	FARNELL	304-6539	HEATSHRINK CLEAR 6mm 3:1

PIN	FUNCTION	COLOUR
1	Rx	GREEN
2	Tx	YELLOW
5	Ext.IMU POWER	RED
6	IPPS	WHITE
SHELL	Ext.IMU GND	BLACK

DRAWING NUMBER	RLCAB129	DRAWN	R.ENGLISH	SHEET	5/6
DESCRIPTION	SPEED SENSOR WITH IMU - BRAKING CABLE				
REVISION					
ISS	DESCRIPTION	DATE	APPROVED	REDMINE	
4	CAN IDENTs UPDATED	25/11/19	SH	14428	

CONNECTOR WIRING				
DEUTSCH 23 WAY	FUNCTION	COLOUR	FUNCTIONAL GROUP	CABLE CONNECTOR TYPE
PIN				
6	POWER	RED	POWER IN	4mm BANANA PLUG RED
5	POWER RETURN	BLACK		4mm BANANA PLUG BLACK
14	DIG IN GND	BLUE	DIGITAL INPUT	3 WAY LEMO SOCKET
13	DIG IN	GREEN		
12	CAN H	YELLOW	CAN IN	9 WAY D-TYPE SOCKET
11	CAN L	BLUE		
10	CAN H	YELLOW	CAN OUT+ POWER	5 WAY LEMO SOCKET
9	CAN L	BLUE		
7	POWER OUT	RED		
8	POWER GND	GREEN		
22	Tx (From SS)	YELLOW	CONFIG (RS232)	9 WAY D-TYPE SOCKET
21	Rx (To SS)	GREEN		
15	CONFIG GND	BLUE	Ext. IMU (RS232 + 1PPS)	LEMO 6 WAY SOCKET A-KEYWAY
20	Tx (From SS)	YELLOW		
19	Rx (To SS)	GREEN		
23	1PPS	WHITE		
17	Ext. IMU GND	BLACK		
18	Ext. IMU POWER	RED		

DRAWING NUMBER	RLCAB129	DRAWN	R.ENGLISH	SHEET	6/6
DESCRIPTION	SPEED SENSOR WITH IMU - BRAKING CABLE				
REVISION					
ISS	DESCRIPTION	DATE	APPROVED	REDMINE	
4	CAN IDENTIS UPDATED	25/11/19	SH	14428	